

HEATING SYSTEMS 2013



HATHOR LOW GLARE IP65 HEATER

791LG, 792LG, 793LG

NEW IDEAS FOR PROFESSIONAL USE

HATHOR LOW GLARE

A new version of the powerful IRA Hathor infrared.

The LOW GLARE BULB makes sure you can install the heater everywhere without causing any interference with the lighting style especially in case of soft lighting (e.g public places like bars and restaurant).

The **IP65** waterproof resistance makes sure you can install the new HATHOR LOW GLARE also in any outdoor application like smoking areas, terraces, patios, etc...



IP65 PROTECTION
NO FLASHY LIGHT
LOW GLARE



HATHOR LOW GLARE**793LG**

Dimensions mm	515X496X313
Weight	3,0 Kg
Power supply	380-415V3N 50/60Hz
Total Consumption	6000W
Cable	-
Range of action	16-20 mq
IP Rate	IP65
Insulating class	I
Master Box / Pallet q.	1Pc
Spectrum of Emission	IR-A
Lamp Life	5000h
Lamp	GOLD LOW GLARE
All units come with wall bracket	
Made in	ITALY

**HATHOR LOW GLARE****792LG**

Dimensions mm	375X496X313
Weight	2,4 Kg
Power supply	220-240V ~ 50-60Hz
Total Consumption	4000W
Cable	-
Range of action	12-16 mq
IP Rate	IP65
Insulating class	I
Master Box / Pallet q.	1Pc
Spectrum of Emission	IR-A
Lamp Life	5000h
Lamp	GOLD LOW GLARE
All units come with wall bracket	
Made in	ITALY

**HATHOR LOW GLARE****791LG**

Dimensions mm	235X486X313
Weight	1,7Kg
Power supply	220-240V ~ 50-60Hz
Total Consumption	2000W
Cable	-
Range of action	9-12 mq
IP Rate	IP65
Insulating class	I
Master Box / Pallet q.	1Pc
Spectrum of Emission	IR-A
Lamp Life	5000h
Lamp	GOLD LOW GLARE
All units come with wall bracket	
Made in	ITALY





ITALY

MO-EL S.R.L. VIA L. GALVANI N°18, POSTAL CODE 42027,
MONTECCHIO EMILIA, RE. ITALIA
PH. 0039 0522 868011 - FAX 0039 0522 864223
E-MAIL: INFO@MO-EL.COM - WEB: WWW.MO-EL.COM



The manufacturer reserves the right to modify products' features without prior notice.
Technical data written in this leaflet are based on indicative parameters.