



# EUROPE PRICE LIST 2013








HEATING SYSTEMS  
PEST CONTROL SOLUTIONS  
HYGIENE PRODUCTS

NEW IDEAS FOR PROFESSIONAL USE

# OUTDOOR AND INDOOR INFRARED HEATERS

| FIORE 1200W            | 766                      | 766P          | 766C            |  |
|------------------------|--------------------------|---------------|-----------------|--|
| Dimensions in mm       | 712x112x83               | 712x112x83    | 712x112x83      | <br><br><br><br>Coming with chains |
| Weight                 | 0,95Kg                   | 0,65Kg        | 0,95Kg          |  |
| Power supply           | 230V~50-60Hz             | 230V~50-60Hz  | 230V~50-60Hz    |  |
| Total Consumption      | 1200W                    | 1200W         | 1200W           |  |
| Cable                  | H05RN-F                  | -             | H07RN-F         |  |
| Range of action        | 4-6mq                    | 4-6mq         | 4-6mq           |  |
| IP Rate                | IP65                     | IP65          | IP65            |  |
| Insulating class       | I                        | I             | I               |  |
| Master Box / Pallet q. | 4pcs/72                  | 4pcs/72       | 4pcs/72         |  |
| Spectrum of light      | IR-A                     | IR-A          | IR-A            |  |
| Lamp Life              | 5000h                    | 5000h         | 5000h           |  |
| Lamp                   | Quartz and Tungsten wire |               |                 |  |
| Coming with            | Switch and plug          | -             | Switch and plug |  |
| Made in                | ITALY                    | ITALY         | ITALY           |  |
| <b>Price in Euro</b>   | <b>106,60</b>            | <b>102,00</b> | <b>108,70</b>   |  |



| FIORE 1800W            | 767                      | 767P          | 767C            |  |
|------------------------|--------------------------|---------------|-----------------|--|
| Dimensions in mm       | 835X112X83               | 835X112X83    | 835X112X83      | <br><br><br><br>Coming with chains |
| Weight                 | 1Kg                      | 0,7Kg         | 1Kg             |  |
| Power supply           | 230V~50-60Hz             | 230V~50-60Hz  | 230V~50-60Hz    |  |
| Total Consumption      | 1760W                    | 1760W         | 1760W           |  |
| Cable                  | H05RN-F                  | -             | H07RN-F         |  |
| Range of action        | 4-6mq                    | 4-6mq         | 4-6mq           |  |
| IP Rate                | IP65                     | IP65          | IP65            |  |
| Insulating class       | I                        | I             | I               |  |
| Master Box / Pallet q. | 4pcs/72                  | 4pcs/72       | 4pcs/72         |  |
| Spectrum of light      | IR-A                     | IR-A          | IR-A            |  |
| Lamp Life              | 5000h                    | 5000h         | 5000h           |  |
| Lamp                   | Quartz and Tungsten wire |               |                 |  |
| Coming with            | Switch and plug          | -             | Switch and plug |  |
| Made in                | ITALY                    | ITALY         | ITALY           |  |
| <b>Price in Euro</b>   | <b>115,40</b>            | <b>110,70</b> | <b>119,50</b>   |  |




| PETALO                 | 722                           | 728                           |   |
|------------------------|-------------------------------|-------------------------------|---|
| Dimensions mm          | 730X38X120                    | 830X38X120                    | <br><br><br><br><br><br>Coming with chains |
| Weigh                  | 1,3Kg                         | 1,5Kg                         |   |
| Power supply           | 220-240V~50-60Hz              | 220-240V~50-60Hz              |   |
| Total Consumption      | 1200W                         | 1800W                         |   |
| Cable                  | H05RN-F                       | H05RN-F                       |   |
| Range of action        | 4-6 mq                        | 6-8 mq                        |   |
| IP Rate                | IP55                          | IP55                          |   |
| Insulating class       | I                             | I                             |   |
| Master Box / Pallet q. | 4Pcs/72                       | 4Pcs/48                       |   |
| Spectrum of Light      | IR-A                          | IR-A                          |   |
| Lamp Life              | 5000h                         | 5000h                         |   |
| Lamp                   | Ruby quartz and Tungsten wire | Ruby quartz and Tungsten wire |   |
| Switch                 | Yes                           | Yes                           |   |
| Made in                | ITALY                         | ITALY                         |   |
| <b>Price in Euro</b>   | <b>164,60</b>                 | <b>177,90</b>                 |   |

| FIORE ACCESSORIES    | 768M          | 768P          | 768S        | 002473        |
|----------------------|---------------|---------------|-------------|---------------|
| Installation         | Wall mounting | Free Standing | Ceilig      | Free Standing |
| Master Box           | 4pcs          | 4pcs          | 4pcs        | 2pcs          |
| Made in              | ITALY         | ITALY         | ITALY       | P.R.C.        |
| <b>Price in Euro</b> | <b>11,10</b>  | <b>23,60</b>  | <b>9,00</b> | <b>44,50</b>  |






# OUTDOOR AND INDOOR INFRARED HEATERS

| PETALO SYSTEM         | 723*                          | 729*                          |   |
|-----------------------|-------------------------------|-------------------------------|---|
| Dimensions mm         | 1050x80x510                   | 1150x80x510                   |  <p>* up-to stock availability</p>  |
| Weight                | 13Kg                          | 14Kg                          |   |
| Power supply          | 380-415V ~ 50-60Hz            | 380-415V ~ 50-60Hz            |   |
| Total Consumption     | 3x1200W                       | 3x1800W                       |   |
| Cable                 | -                             | -                             |   |
| Range of action       | 11-13mq                       | 14-17mq                       |   |
| IP Rate               | IP55                          | IP55                          |   |
| Insulating class      | I                             | I                             |   |
| Master Box / Pallet q | 1Pc/12                        | 1Pc/12                        |   |
| Spectrum of Emission  | IR-A                          | IR-A                          |   |
| Lamp Life             | 5000h                         | 5000h                         |   |
| Lamp                  | Ruby quartz and Tungsten wire | Ruby quartz and Tungsten wire |   |
| Switch                | -                             | -                             |   |
| Made in               | ITALY                         | ITALY                         |   |
| <b>Price in Euro</b>  | <b>657,10</b>                 | <b>669,40</b>                 |   |

| SHARKLITE BLACK        | 712N                                | 718N                                |   |
|------------------------|-------------------------------------|-------------------------------------|---|
| Dimensions mm          | 792x150x100                         | 912x150x100                         |    <p>coming with wall bracket</p> |
| Weight                 | 1,45Kg                              | 1,6Kg                               |   |
| Power supply           | 220-240V ~ 50-60Hz                  | 220-240V ~ 50-60Hz                  |   |
| Total Consumption      | 1200W                               | 1800W                               |   |
| Cable                  | H05RN-F                             | H05RN-F                             |   |
| Range of action        | 4-6 mq                              | 8-10mq                              |   |
| IP Rate                | IP55                                | IP55                                |   |
| Insulating class       | I                                   | I                                   |   |
| Master Box / Pallet q. | 2Pcs/40                             | 2Pcs/30                             |   |
| Spectrum of Emission   | IR-A                                | IR-A                                |   |
| Lamp Life              | 5000h                               | 5000h                               |   |
| Lamp                   | Quartz and Tungsten filament (Ruby) | Quartz and Tungsten filament (Ruby) |   |
| Switch                 | Yes                                 | Yes                                 |   |
| Made in                | ITALY                               | ITALY                               |   |
| <b>Price in Euro</b>   | <b>164,60</b>                       | <b>177,40</b>                       |   |

## BEST APPLICATION SUN UMBRELLA

| LUCCIOLA / FIREFLY   | 799                           | 798                           | 797                           |   |
|----------------------|-------------------------------|-------------------------------|-------------------------------|---|
| Dimensions mm        | 400x132x90                    | 400x132x90                    | 470x132x90                    |    <p>Coming with wall bracket</p> |
| Weigh                | 0,9Kg                         | 0,9Kg                         | 1 Kg                          |   |
| Power supply         | 220-240V ~ 50-60Hz            | 220-240V ~ 50-60Hz            | 220-240V ~ 50-60Hz            |   |
| Total Consumption    | 600W                          | 800W                          | 1200W                         |   |
| Cable                | H05RN-F                       | H05RN-F                       | H05RN-F                       |   |
| Range of action      | 3-4mq                         | 4-5 mq                        | 5-6 mq                        |   |
| IP Rate              | IP65                          | IP65                          | IP65                          |   |
| Insulating class     | I                             | I                             | I                             |   |
| Master Box / Pt q.   | 2Pcs/64                       | 2Pcs/64                       | 2Pcs/64                       |   |
| Spectrum of Light    | IR-A                          | IR-A                          | IR-A                          |   |
| Lamp Life            | 5000h                         | 5000h                         | 5000h                         |   |
| Lamp                 | Ruby quartz and Tungsten wire | Ruby quartz and Tungsten wire | Ruby quartz and Tungsten wire |   |
| Switch               | Yes                           | Yes                           | Yes                           |   |
| Made in              | ITALY                         | ITALY                         | ITALY                         |   |
| <b>Price in Euro</b> | <b>110,20</b>                 | <b>118,50</b>                 | <b>128,70</b>                 |   |

| ACCESSORIES          | 702           | 003205       | 789          |
|----------------------|---------------|--------------|--------------|
| Type of Installation | Free standing | wall/post    | post         |
| Master Box           | 1             | 4            | 4            |
| Made in              | ITALY         | ITALY        | ITALY        |
| Fitting              | All items     | PETALO       | LUCCIOLA     |
| <b>Price in Euro</b> | <b>154,30</b> | <b>22,60</b> | <b>22,10</b> |



| GIROSOLE               | 769                      | 769S CEILING             |  |
|------------------------|--------------------------|--------------------------|--|
| Dimensions cm          | 84,2x94x214              | 84,2X94X52               |  |
| Weight                 | 18 kg                    | 6,15 Kg                  |  |
| Power supply           | 230V/400V 3N ~ 50-60Hz   | 230V/400V 3N ~ 50-60Hz   |  |
| Total consumption      | 3x1200W                  | 3x1200W                  |  |
| Cable                  | -                        | -                        |  |
| Range of action        | 12-18 mq                 | 12-18 mq                 |  |
| IP rate                | IP65                     | IP65                     |  |
| Insulating class       | I                        | I                        |  |
| Master box / pallet q. | 1pc/7                    | 1Pc/7                    |  |
| Spectrum of Light      | IR-A                     | IR-A                     |  |
| Lamp life              | 5000h                    | 5000h                    |  |
| Lamp                   | quartz and tungsten wire | quartz and tungsten wire |  |
| Switch                 | yes                      | Yes                      |  |
| Made in                | ITALY                    | ITALY                    |  |
| <b>Price in euro</b>   | <b>569,90</b>            | <b>493,10</b>            |  |

## NEW FITTED WITH SMART TABLE TOP

| GIROSOLE               | 769T                     |   |
|------------------------|--------------------------|---|
| Dimensions cm          | 84,2x94x214              | <p><b>NEW</b></p> <p>In stock from September 2013</p> |
| Weight                 | 21 Kg                    |   |
| Power supply           | 230V/400V 3n ~ 50-60Hz   |   |
| Total consumption      | 3x1200w                  |   |
| Cable                  | -                        |   |
| Range of action        | 12-18 mq                 |   |
| IP rate                | IP65                     |   |
| Insulating class       | I                        |   |
| Master box / pallet q. | 1pc/7                    |   |
| Spectrum of emission   | IR-A                     |   |
| Lamp life              | 5000h                    |   |
| Lamp                   | quartz and tungsten wire |   |
| Switch                 | yes                      |   |
| Made in                | ITALY                    |   |
| <b>Price in euro</b>   | <b>648,00</b>            |   |


| HATHOR               | 793                | 792                | 791                |                                 |
|----------------------|--------------------|--------------------|--------------------|---------------------------------|
| Dimensions mm        | 515X496X313        | 375X496X313        | 235X486X313        | <p>Coming with wall bracket</p> |
| Weight               | 3,0 Kg             | 2,4 Kg             | 1,7Kg              |                                 |
| Power supply         | 380-415V3N 50/60Hz | 220-240V ~ 50-60Hz | 220-240V ~ 50-60Hz |                                 |
| Total Consumption    | 6000W              | 4000W              | 2000W              |                                 |
| Cable                | -                  | -                  | -                  |                                 |
| Range of action      | 16-20 mq           | 12-16 mq           | 9-12 mq            |                                 |
| IP Rate              | -                  | -                  | -                  |                                 |
| Insulating class     | I                  | I                  | I                  |                                 |
| Master Box           | 1Pc                | 1Pc                | 1Pc                |                                 |
| Spectrum of Light    | IR-A               | IR-A               | IR-A               |                                 |
| Lamp Life            | 5000h              | 5000h              | 5000h              |                                 |
| Lamp                 | GOLD               | GOLD               | GOLD               |                                 |
| Made in              | ITALY              | ITALY              | ITALY              |                                 |
| <b>Price in Euro</b> | <b>389,50</b>      | <b>296,80</b>      | <b>202,50</b>      |                                 |


## NO FLASHY LIGHT , IP65 PROTECTION, LOW GLARE


| HATHOR LOW GLARE     | 793LG              | 792LG              | 791LG              |   |
|----------------------|--------------------|--------------------|--------------------|---|
| Dimensions mm        | 515X496X313        | 375X496X313        | 235X486X313        | <p><b>NEW</b></p> <p>Coming with wall bracket</p> |
| Weight               | 3,0 Kg             | 2,4 Kg             | 1,7Kg              |   |
| Power supply         | 380-415V3N 50/60Hz | 220-240V ~ 50-60Hz | 220-240V ~ 50-60Hz |   |
| Total Consumption    | 6000W              | 4000W              | 2000W              |   |
| Cable                | -                  | -                  | -                  |   |
| Range of action      | 16-20 mq           | 12-16 mq           | 9-12 mq            |   |
| IP Rate              | IP65               | IP65               | IP65               |   |
| Insulating class     | I                  | I                  | I                  |   |
| Master Box           | 1Pc                | 1Pc                | 1Pc                |   |
| Spectrum of Light    | IR-A               | IR-A               | IR-A               |   |
| Lamp Life            | 5000h              | 5000h              | 5000h              |   |
| Lamp                 | GOLD LOW GLARE     | GOLD LOW GLARE     | GOLD LOW GLARE     |   |
| Made in              | ITALY              | ITALY              | ITALY              |   |
| <b>Price in Euro</b> | <b>435,50</b>      | <b>342,80</b>      | <b>248,50</b>      |   |


# OUTDOOR AND INDOOR INFRARED HEATERS

**BEST APPLICATION:**  
SMART PLACES - PROMOTIONALEVENTS

| HEATER GLASS FRONT   | 778   | LARGER SURFACE WARMING  |
|----------------------|---|---|
| Dimensions in mm:    | 360x155 x320  | <p><b>NEW</b></p>  <p>GLASS PROTECTION <b>CE</b></p> |
| Weight               | 3,7 kg  |   |
| Lamp                 | 1300 W Gold Coated IR-A Infrared Lamp   |   |
| Power Supply         | 230-240V 50 Hz  |   |
| Technology           | R7s lamp cap  |   |
| Material             | 95% reflective aluminum reflector with wide focusing<br>Die cast aluminum body<br>Tempered safety glass Silicon gasket<br>Quality powdercoat finish |   |
| Water Protection     | IP 65   |   |
| Made in              | ITALY   |   |
| <b>Price in Euro</b> | <b>179,10</b>   |   |

| HEATER GLASS FRONT   | 778C  | LONGER DISTANCE WARMING   |
|----------------------|---|---|
| Dimensions in mm:    | 360x155 x320  | <p><b>NEW</b></p>  <p>GLASS PROTECTION <b>CE</b></p> |
| Weight               | 3,7 kg  |   |
| Lamp                 | 1300 W Gold Coated IR-A Infrared Lamp   |   |
| Power Supply         | 230-240V 50 Hz  |   |
| Technology           | R7s lamp cap  |   |
| Material             | 95% reflective aluminum reflector with deep focusing<br>Die cast aluminum body<br>Tempered safety glass Silicon gasket<br>Quality powdercoat finish |   |
| Water Protection     | IP 65   |   |
| Made in              | ITALY   |   |
| <b>Price in Euro</b> | <b>186,10</b>   |   |

| STILUOVO             | 771                                  | 771 B                                | <p><b>NEW</b></p>  <p><b>CE</b></p> |
|----------------------|--------------------------------------|--------------------------------------|---|
| Dimensions closed:   | 788xh1163mm                          | 788xh1163mm                          |   |
| Dimensions open      | 788xh2552mm                          | 788xh2552mm                          |   |
| Weight               | 77 kg                                | 77 kg                                |   |
| Power Supply         | 380/400 V 220/240 V                  | 380/400 V 220/240 V                  |   |
| Heating Elements     | Rated IP65                           | Rated IP65                           |   |
| Lamps features       | IR-A Lucciola/Firefly                | IR-A Lucciola/Firefly                |   |
| Lamps (W)            | 3x1200W                              | 3x1200W                              |   |
| Covering area        | 2m all around ray                    | 2m all around ray                    |   |
| Material             | ABS/Pole Aluminum                    | ABS/Pole Aluminum                    |   |
| Colour:              | Dark grey                            | White                                |   |
| Column               | Automatic opening and closing system | Automatic opening and closing system |   |
| Air pump compressor  | Yes                                  | Yes                                  |   |
| Automatic switch     | Yes                                  | Yes                                  |   |
| Made in:             | ITALY                                | ITALY                                |   |
| <b>Price in Euro</b> | <b>4.800,00</b>                      | <b>4.800,00</b>                      |   |


| ACCESSORIES           | 9001   | 9002           | 9003                                | 9004                               | 724               |
|-----------------------|--|----------------|-------------------------------------|------------------------------------|-------------------|
| Description           | Kit dimmer and remote control  | Remote Control | Presence Detector + on/off Receiver | Receiver ON/OFF and Remote Control | Dimmer 4 Channels |
| Power                 | 1x2000W  |                | 2x2000W                             | 2x2000W                            | 4x2000W           |
| Master Box            | 1Pc  | 1Pc            | 1Pc                                 | 1Pc                                | 1Pc               |
| Made in               | ITALY  | ITALY          | ITALY                               | ITALY                              | P.R.C.            |
| Fitting               | all items  | all items      | all items                           | all items                          | all items         |
| IP Rate               | IP54   | -              | IP44                                | IP54                               | -                 |
| <b>Price in Euro</b>  | <b>230,90</b>  | <b>48,60</b>   | <b>324,10</b>                       | <b>230,00</b>                      | <b>384,00</b>     |
| HIGH QUALITY WIRELESS |  |                |                                     |                                    |                   |
| <b>NEW</b>            |  |                |                                     |                                    |                   |


| SPARE PARTS |  |                   |
|-------------|--|-------------------|
| 002450      | Infrared lamp 1200w for models 766, 766P, 766C, 769 and 769S | <b>Euro 17,50</b> |
| 002781      | Infrared lamp 1800W for models 767 and 767P and 767C         | <b>Euro 24,80</b> |
| 003018      | Infrared ruby lamp 1200W for models 722, 723, 712N and 712   | <b>Euro 28,10</b> |
| 003024      | Infrared ruby lamp 1800W for models 728, 729 and 718N        | <b>Euro 30,30</b> |
| 003229      | Infrared gold lamp 2000W for models 791, 792 and 793         | <b>Euro 39,10</b> |
| 003947      | Infrared lamp 600W for model 799                             | <b>Euro 23,70</b> |
| 003765      | Infrared lamp 800W for model 798                             | <b>Euro 25,90</b> |
| 003766      | Infrared lamp 1200W for model 797                            | <b>Euro 28,60</b> |


# A NEW SENSATIONAL SOFT WARMING EXPERIENCE


## IP65 - HIGH PERFORMANCE - MADE IN ITALY - IMQ PENDING



| BLACK LIGHT RADIANT HEATER |                            | 7715  |
|----------------------------|----------------------------|---|
| Dimensions mm              | 1022X176X194               | Coming with wall bracket<br><br><b>NEW</b> <b>CE</b> |
| Weight                     | 5,75 Kg                    |   |
| Power supply               | 220-240V ~ 50-60Hz         |   |
| Total Consumption          | 1500W                      |   |
| Cable                      | Silicon H05SSF 3m lenght   |   |
| IP Rate                    | IP65                       |   |
| Insulating class           | I                          |   |
| Master Box                 | 1                          |   |
| Heating System:            | Tubular electric heaters   |   |
| Material                   | Aluminum 12/10mm satinized |   |
| Radiating Element Material | Anodized Aluminum          |   |
| Made in                    | ITALY                      |   |
| <b>Price in Euro</b>       | <b>252,70</b>              |   |

| BLACK LIGHT RADIANT HEATER |                            | 7718  |
|----------------------------|----------------------------|---|
| Dimensions mm              | 1172X176X194               | Coming with wall bracket<br><br><b>NEW</b> <b>CE</b> |
| Weight                     | 6,55 Kg                    |   |
| Power supply               | 220-240V ~ 50-60Hz         |   |
| Total Consumption          | 1800W                      |   |
| Cable                      | Silicon H05SSF 3m lenght   |   |
| IP Rate                    | IP65                       |   |
| Insulating class           | I                          |   |
| Master Box                 | 1                          |   |
| Heating System:            | Tubular electric heaters   |   |
| Material                   | Aluminum 12/10mm satinized |   |
| Radiating Element Material | Anodized Aluminum          |   |
| Made in                    | ITALY                      |   |
| <b>Price in Euro</b>       | <b>278,20</b>              |   |

| BLACK LIGHT RADIANT HEATER |                            | 7724   |
|----------------------------|----------------------------|--|
| Dimensions mm              | 1472X176X19,4              | Coming with wall bracket<br><br><b>NEW</b> <b>CE</b> |
| Weight                     | 8,3Kg                      |  |
| Power supply               | 220-240V ~ 50-60Hz         |  |
| Total Consumption          | 2400W                      |  |
| Cable                      | Silicon H05SSF 3m lenght   |  |
| IP Rate                    | IP65                       |  |
| Insulating class           | I                          |  |
| Master Box                 | 1                          |  |
| Heating System:            | Tubular electric heaters   |  |
| Material                   | Aluminum 12/10mm satinized |  |
| Radiating Element Material | Anodized Aluminum          |  |
| Made in                    | ITALY                      |  |
| <b>Price in Euro</b>       | <b>304,00</b>              |  |

| BLACK LIGHT RADIANT HEATER |                            | 7732   |
|----------------------------|----------------------------|--|
| Dimensions mm              | 1872X176X194               | Coming with wall bracket<br><br><b>NEW</b> <b>CE</b> |
| Weight                     | 11,1Kg                     |  |
| Power supply               | 220-240V ~ 50-60Hz         |  |
| Total Consumption          | 3200W                      |  |
| Cable                      | Silicon H05SSF 3m lenght   |  |
| IP Rate                    | IP65                       |  |
| Insulating class           | I                          |  |
| Master Box                 | 1                          |  |
| Heating System:            | Tubular electric heaters   |  |
| Material                   | Aluminum 12/10mm satinized |  |
| Radiating Element Material | Anodized Aluminum          |  |
| Made in                    | ITALY                      |  |
| <b>Price in Euro</b>       | <b>334,20</b>              |  |

OUTDOOR AND INDOOR INFRARED HEATERS

# OUTDOOR AND INDOOR INFRARED HEATERS

| ACCESSORIES |                      |      |       |
|-------------|----------------------|------|-------|
| 7701        | Double focus Bracket | Euro | 42,60 |
| 7702        | One to One joint     | Euro | 25,20 |
| 7703        | Rear Extension       | Euro | 22,50 |





# LOW GLARE



ALL OUR HEATERS CAN BE  
FITTED WITH LOW GLARE LAMPS.







Contact us for further info about prices and availability

## UV-A COMBINED WITH GLUE BOARDS KITCHEN AND FOOD FACTORY CONTROL

372 AND 397: ENERGY SAVING BALLAST  
80W POWER LAMP = 40 W CONSUMPTION

| MO-STICK GLUE BOARD - HACCP | 372   | 397                                      |  |
|-----------------------------|---|--|--|
| Dimensions in mm            | 655x390x235   | 655x390x235                              | <br> |
| Weight                      | 7,8Kg   | 7,8 Kg                                   |  |
| Power supply                | 220-240V ~ 50-60 Hz                                 | 220-240V ~ 50 -60Hz                      |  |
| Total Consumption           | 40W (electronic ballast)                            | 40W (electronic ballast)                 |  |
| Cable                       | Rubber 1,5m   | Rubber 1,5m                              |  |
| Range of action             | 15-18 m of linear range                             | 15-18 m of linear range                  |  |
| IP Rate                     | IP65  | IP65                                     |  |
| Insulating class            | I   | I  |  |
| Master Box / Pallet q.      | 1 / 21  | 1 / 21                                   |  |
| Lamp                        | 2x40W Actinic Shatterproof UV-A Sylvania            | 2x40W Actinic Shatterproof UV-A Sylvania |  |
| Lamp Life                   | 2000h   | 2000h                                    |  |
| Coming with                 | glue boards 370x650mm / 3 units and mounting chains |  |  |
| Material                    | Stainless Steel aisi 304                            | Painted Iron                             |  |
| Made in                     | ITALY   | ITALY                                    |  |
| <b>Price in Euro</b>        | <b>399,80</b>                                       | <b>301,40</b>                            |  |


| MO-FLY GLUE BOARDS     | 700   | 701                         |   |
|------------------------|---|-----------------------------|---|
| Dimensions in mm       | 112x435x400   | 400x120x155                 | <br> |
| Weight                 | 2,5 Kg  | 2,2 Kg                      |   |
| Power supply           | 230V ~ 50Hz   | 230V ~ 50Hz                 |   |
| Total Consumption      | 40W   | 40W                         |   |
| Cable                  | Rubber 1,5m   | Rubber 1,5m                 |   |
| Range of action        | 12-14 m of linear range                             | 12-14 m of linear range     |   |
| IP Rate                | IP55  | IP55                        |   |
| Insulating class       | I   | I                           |   |
| Master Box / Pallet q. | 1 / 52  | 1 / 156                     |   |
| Lamp                   | 2x15W Actinic UV-A Sylvania                         | 2x15W Actinic UV-A Sylvania |   |
| Lamp protection        | Teflon shell  | Teflon shell                |   |
| Lamp Life              | 2000h   | 2000h                       |   |
| Coming with            | glue boards 150x380mm / 4 units and mounting chains |                             |   |
| Material               | Aluminum and PMMA                                   | Aluminum and PMMA           |   |
| Made in                | ITALY   | ITALY                       |   |
| <b>Price in Euro</b>   | <b>132,80</b>                                       | <b>118,40</b>               |   |


| MO-FLY GLUE BOARDS     | 399                    | 398                    |  |
|------------------------|------------------------|------------------------|--|
| Dimensions in mm       | 400x170x270            | 400x170x270            | <br> |
| Weight                 | 1,4Kg                  | 2,9Kg                  |  |
| Power supply           | 220-240V ~ 50-60Hz     | 220-240V ~ 50-60Hz     |  |
| Total Consumption      | 20W                    | 20W                    |  |
| Cable                  | -                      | -                      |  |
| Range of action        | 3-4 m of linear range  | 3-4 m of linear range  |  |
| IP Rate                | -                      | -                      |  |
| Insulating class       | II                     | II                     |  |
| Master Box / Pallet q. | 1 / 72                 | 1 / 72                 |  |
| Lamp                   | 1x20 UV-A Actinic lamp | 1x20 UV-A Actinic lamp |  |
| Lamp Life              | 2000h                  | 2000h                  |  |
| Coming Glue boards     | 150x380 mm / 4 units   | 150x380 mm / 4 units   |  |
| Material               | Polystyrene            | Inox aisi 304          |  |
| Made in                | ITALY                  | ITALY                  |  |
| <b>Price in Euro</b>   | <b>83,10</b>           | <b>107,20</b>          |  |


| SPARE PARTS |   |                   |
|-------------|---|-------------------|
| 000788      | Shatterproof lamp 40W for model 372 and 397               | <b>Euro 29,20</b> |
| 001625      | Glue board set of 10 pcs for models 372 and 397           | <b>Euro 49,80</b> |
| 001932      | Lamp 20W for models 398 and 399                           | <b>Euro 24,20</b> |
| 002413      | Glue board set of 10 pcs for models 700, 701, 398 and 399 | <b>Euro 17,00</b> |
| 0415        | UV-A lamp for model 701 and 700                           | <b>Euro 5,10</b>  |


CRI CRI BRAND GRANTS TOP EFFICIENCY WITH ITS SELF CLEANING GRIDS  
5000V DISCHARGE GALVANIZED SALTY STEAM TESTED






| NEW PROFESSIONAL TOP QUALITY HIGH THICKNESS STAINLESS STEEL |                                  |   |
|---|----------------------------------|---|
| CRI-CRI HEAVY DUTY ZAPPER                                   | 308S                             | CRI-CRI MILLENIUM   |
| Dimensions in mm  | 685x200x350                      | INDESTRUCTIBLE  |
| Weight  | 11                               | <br><b>NEW</b> <b>CE</b> |
| Power supply  | 230V ~ 50Hz                      |   |
| Total Consumption   | 95W                              |   |
| Cable   | Rubber HO5RN-F                   |   |
| Linear Range of action                                      | 15-18 m                          |   |
| IP Rate   | IPX4                             |   |
| Insulating class  | I                                |   |
| Master Box / Pallet q.                                      | 2 / 30                           |   |
| Lamp  | 2x40W UV-A Actinic lamp Sylvania |   |
| Lamp Life   | 2000h                            |   |
| Material  | STAINLESS STEEL                  |   |
| Made in   | ITALY                            |   |
| <b>Price in Euro</b>  | <b>513,80</b>                    |   |

| CRI-CRI HEAVY DUTY     | 308A  | 307A           | IN AND OUTDOOR USE   |
|------------------------|---|----------------|--|
| Dimensions in mm       | 685x200x380   | 685x200x380    | <br><b>CE</b> |
| Weight                 | 8,6 Kg  | 8,0 Kg         |  |
| Power supply           | 230V ~ 50Hz   | 230V ~ 50Hz    |  |
| Total Consumption      | 95W   | 65W            |  |
| Cable                  | Rubber HO5RN-F  | Rubber HO5RN-F |  |
| Linear Range of action | 15-18 m   | 12-15 m        |  |
| IP Rate                | IPX4  | IPX4           |  |
| Insulating class       | I   | I              |  |
| Master Box / Pallet q. | 2 / 30  | 2 / 30         |  |
| UVA actinic Lamp       | 2x40W Sylvania  | 2x20W Sylvania |  |
| Lamp Life              | 2000h   | 2000h          |  |
| Material               | Fire retardant and UV-A rated PC-ABS / galvanized metal parts |                |  |
| Made in                | ITALY   | ITALY          |  |
| <b>Price in Euro</b>   | <b>180,40</b>   | <b>169,20</b>  |  |



| CRI-CRI HEAVY DUTY   | 308E   | 307E           | 305E           | IN AND OUTDOOR USE   |
|----------------------|--|----------------|----------------|--|
| Dimensions mm        | 685x200x380  | 685x200x380    | 685x200x380    | <br><b>CE</b> |
| Weight               | 8,6 Kg   | 8,0 Kg         | 8,0 Kg         |  |
| Power supply         | 230V ~ 50Hz  | 230V ~ 50Hz    | 230V ~ 50Hz    |  |
| Total Consum.        | 95W  | 65W            | 65W            |  |
| Cable                | Rubber HO5RN-F   | Rubber HO5RN-F | Rubber HO5RN-F |  |
| Lin. Range of action | 15-18 m  | 12-15 m        | 12-15 m        |  |
| IP Rate              | IPX4   | IPX4           | IPX4           |  |
| Insulating class     | II   | II             | II             |  |
| Ma. Box / Pallet q   | 2 / 30   | 2 / 30         | 2 / 30         |  |
| UVA Actinic Lamp     | 2x40W Sylvania   | 2x20W Sylvania | 1x20W Sylvania |  |
| Lamp Life            | 2000h  | 2000h          | 2000h          |  |
| Material             | Fire retardant and UV-A rated PC-ABS /4nm painted salty steam tested metal parts |                |                |  |
| Made in              | ITALY  | ITALY          | ITALY          |  |
| <b>Price in Euro</b> | <b>167,10</b>  | <b>159,90</b>  | <b>146,60</b>  |  |




| CRI-CRI ZAPPER        | 309  | 304                 |  |
|-----------------------|--|---------------------|--|
| Dimensions mm         | 355x155x315  | 355x155x315         | <br><b>CE</b> |
| Weight                | 4,2 Kg   | 4,1 Kg              |  |
| Power supply          | 230V ~ 50Hz  | 230V ~ 50Hz         |  |
| Total Consum.         | 45W  | 35W                 |  |
| Cable                 | Rubber HO5RN-F   | Rubber HO5RN-F      |  |
| Lin. Range .of action | 10-12m   | 8-10m               |  |
| IP Rate               | IPX3   | IPX3                |  |
| Insulating class      | II   | II                  |  |
| Ma. Box / Pallet q    | 3/75   | 3/75                |  |
| UVA Actinic Lamp      | 2x15W Sylvania   | 1x15W UV-A Sylvania |  |
| Lamp Life             | 1500h  | 1500h               |  |
| Material              | Fire retardant and UV-A rated PC-ABS /4nm painted salty steam tested metal parts |                     |  |
| Made in               | ITALY  | ITALY               |  |
| <b>Price in Euro</b>  | <b>102,00</b>  | <b>89,20</b>        |  |

| ZAPPERS                | 7113                    | 300N                   |   |   |
|------------------------|-------------------------|------------------------|---|---|
| Dimensions in mm       | 98x152x310              | 132x165x330            |  |  |
| Weight                 | 1,0 Kg                  | 1,1 Kg                 |   |   |
| Power supply           | 230V ~ 50Hz             | 230V ~ 50Hz            |   |   |
| Total Consumption      | 11 W                    | 6 W                    |   |   |
| Linear Range of action | 4-6m                    | 3-5m                   |   |   |
| Grids discharge        | 1500V                   | 1500V                  |   |   |
| Insulating class       | II                      | II                     |   |   |
| Master Box / Pallet q. | 10/-                    | 6 / 150                |   |   |
| Lamp                   | 1x11W UV-A Actinic lamp | 1x6W UV-A Actinic lamp |   |   |
| Lamp Life              | 2000h                   | 1500h                  |   |   |
| Material               | ABS                     | ABS                    |   |   |
| Made in                | P.R.C.                  | ITALY                  |   |   |
| Price in Euro          | 53,90                   | 44,10                  | CE  |  |




# CRI-CRI TURBINE



IN AND OUTDOOR USE - HIGH PERFORMANCE  
 16Kg INSECTS CAPTURED IN ONE WEEK  
 TESTED IN COOPERATION WITH THE UNIVERSITY OF BOLOGNA



| HEAVY DUTY SUCTION TRAP | 30602           |   |
|-------------------------|-----------------|---|
| Dimensions in mm        | 407x356x941     | INDUSTRIAL MACHINE  |
| Weight                  | 11 Kg           |  |
| Power supply            | 230-240V ~ 50Hz |   |
| Total Consumption       | 165W            |   |
| Motor speed             | 1000 rpm        |   |
| Linear Range of action  | 15-18 m         |   |
| IP Rate                 | IPX4            |   |
| Insulating class        | I               |   |
| Master Box / Pallet q.  | 1 / 10          |   |
| UV-A Actinic lamp Lamp  | 2x40W Sylvania  |   |
| Lamp Life               | 2000h           |   |
| Material                | Aluminum        |   |
| Made in                 | ITALY           |   |
| Price in Euro           | 514,60          |  |



| INSECTIVORO         | 361B        | 363G        | 368G        | SUCTION TRAP  |
|---------------------|-------------|-------------|-------------|---|
| Dimensions mm       | 45X220X340  | 245X220X340 | 245X220X340 |  |
| Weight              | 2,4 Kg      | 2,6 Kg      | 2,4Kg       |  |
| Power supply        | 230V ~ 50Hz | 230V ~ 50Hz | 230V ~ 50Hz |   |
| Total Consump.      | 55W         | 75W         | 55W         |   |
| Motor speed         | 900/1050rpm | 900/1050rpm | 900rpm      |   |
| Lin Range of action | 14-16 m     | 14-16 m     | 14-16 m     |   |
| Colour              | Blue        | Grey        | Grey        |   |
| Ins. class          | II          | II          | II          |   |
| M. Box / Pallet q.  | 3 / 60      | 3 / 60      | 3 / 60      |   |
| Actinic UV-A Lamp   | 1x32W       | 1x32W       | 1x32W       |   |
| Lamp Life           | 2000h       | 2000h       | 2000h       |   |
| Material            | PC / ABS    | PC / ABS    | PC / ABS    |   |
| UV-C lamp           | -           | PL-S9W      | -           |   |
| Made in             | ITALY       | ITALY       | ITALY       |   |
| Price in Euro       | 95,40       | 115,90      | 76,90       |  |



| SPARE PARTS |               |                                     |            |
|-------------|---------------|-------------------------------------|------------|
| 0415        | UV-A LAMP 15W | for CRI-CRI 309, 304, 701, 700      | Euro 5,10  |
| 0512        | UV-A LAMP 20W | for CRI-CRI 307 and 305             | Euro 5,10  |
| 003942      | UV-A LAMP 11W | for mod 7113                        | Euro 5,10  |
| 0802        | UV-A LAMP 40W | for CRI-CRI 308 and 30602           | Euro 8,00  |
| 000862      | UV-C lamp 9W  | for model 363G                      | Euro 26,40 |
| 001493      | UV-A lamp 32W | for INSECTIVORO 361B, 363G and 368G | Euro 10,70 |
| 0421        | UV-A lamp 6W  | for model 300N                      | Euro 5,10  |

| HAND DRYER             | 315           | 332             |  |
|------------------------|---------------|-----------------|--|
| Dimensions in mm       | 320x257x150   | 320x260x150     | <br>  |
| Weight                 | 2,8 Kg        | 4,0 Kg          |  |
| Power supply           | 230V ~ 50Hz   | 230V ~ 50Hz     |  |
| Total Consumption      | 2125W         | 2125W           |  |
| Air speed              | 17m/s         | 17m/s           |  |
| Air capacity           | 155m3/hr      | 155m3/hr        |  |
| Material               | ABS           | Stainless steel |  |
| Insulating class       | II            | I               |  |
| Master Box / Pallet q. | 1/100         | 1/100           |  |
| Water protection       | IPX3          | IPX3            |  |
| Made in                | ITALY         | ITALY           |  |
| <b>Price in Euro</b>   | <b>140,50</b> | <b>215,30</b>   |  |



| HAND DRYER             | 715          | 716             |   |
|------------------------|--------------|-----------------|---|
| Dimensions in mm       | 255x218x160  | 255x218x160     | <br> |
| Weight                 | 2,4 Kg       | 3,0 Kg          |   |
| Power supply           | 230V ~ 50Hz  | 230V ~ 50Hz     |   |
| Total Consumption      | 1650W        | 1650W           |   |
| Air speed              | 12m/s        | 12m/s           |   |
| Air capacity           | 120m3/hr     | 120m3/hr        |   |
| Material               | ABS          | Stainless steel |   |
| Insulating class       | II           | I               |   |
| Master Box / Pallet q. | 1/90         | 1/90            |   |
| Water protection       | IPX1         | IPX1            |   |
| Made in                | P.R.C.       | P.R.C.          |   |
| <b>Price in Euro</b>   | <b>78,50</b> | <b>145,60</b>   |   |



| HAND DRYER           | 725                 |  |
|----------------------|---------------------|--|
| Dimensions in mm     | 258x200x230 mm      | <p><b>NEW</b> </p>  |
| Weight               | 4,7 Kg              |  |
| Power supply         | 230V ~ 50Hz         |  |
| Total Consumption    | 2300W               |  |
| Air speed            | >22m/s              |  |
| Air capacity         | 210 m3/hr           |  |
| Material             | Iron Powder Coating |  |
| Insulating class     | I                   |  |
| Master Box           | 1                   |  |
| Water protection     | IPX1                |  |
| Nozzle               | 360° revolving      |  |
| Made in              | P.R.C.              |  |
| <b>Price in Euro</b> | <b>185,00</b>       |  |



| HAND DRYER           | 726             | HIGH PERFORMANCE  |
|----------------------|-----------------|---|
| Dimensions in mm     | 295x171x325 mm  | <p><b>NEW</b> </p>  |
| Weight               | 4,9             |   |
| Power supply         | 230V ~ 50Hz     |   |
| Total Consumption    | 1800W           |   |
| Air speed            | 80m/s           |   |
| Air capacity         | 168 m3/hr       |   |
| Material             | Stainless Steel |   |
| Insulating class     | I               |   |
| Master Box           | 1               |   |
| Water protection     | IPX1            |   |
| Made in              | P.R.C           |   |
| <b>Price in Euro</b> | <b>250,00</b>   |   |



| INJECT HAND DRYER           | 727                 | NEW TECHNOLOGY  |
|-----------------------------|---------------------|---|
| Dimensions in mm            | 292x250x650         | <p><b>NEW</b> </p>  |
| Weight                      | 10 Kg               |   |
| Power supply                | 230V ~ 50Hz         |   |
| Power                       | 750W                |   |
| Air Capacity                | 162 m3/hr           |   |
| Air speed                   | 75m/s               |   |
| Material                    | ABS                 |   |
| Insulating class            | I                   |   |
| Master Box                  | 1                   |   |
| Water protection            | IPX1                |   |
| Made in                     | P.R.C.              |   |
| Sensor Distance: 50mm-200mm | Protect Time: 30min |   |
| <b>Price in Euro</b>        | <b>650,00</b>       |   |



# HAND AND HAIR DRYERS



| HAIR DRYE ELEPHON      | 322TC        | 320TC        |   |
|------------------------|--------------|--------------|---|
| Dimensions in mm       | 265x92x105   | 265x92x105   |   |
| Hose lenght in Cm      | 45 ÷150      | 45 ÷150      |   |
| Weight                 | 1,2 Kg       | 1,2 Kg       |   |
| Power supply           | 230V ~ 50Hz  | 230V ~ 50Hz  |   |
| Total Consumption      | 700/1100W    | 700W         |   |
| Air speed in m/s       | 6/10         | 6            |   |
| Air capacity m3/hr     | 37/50        | 50           |   |
| Material               | ABS          | ABS          |   |
| Insulating class       | II           | II           |   |
| Master Box / Pallet q. | 6/150        | 6/150        |   |
| Water protection       | IPX4         | IPX4         |   |
| Made in                | ITALY        | ITALY        |   |
| <b>Price in Euro</b>   | <b>77,40</b> | <b>60,00</b> |   |



| HAIR DRYER FIVE STARS  | 329TR        |   |
|------------------------|--------------|---|
| Dimensions in mm       | 280x205x120  |   |
| Hose lenght in Cm      | 45 ÷150      |   |
| Weight                 | 1,6 Kg       |   |
| Power supply           | 230V ~ 50Hz  |   |
| Total Consumption      | 900W         |   |
| Air speed in m/s       | 20           |   |
| Air capacity m3/hr     | 50           |   |
| Material               | ABS          |   |
| Insulating class       | II           |   |
| Master Box / Pallet q. | 6/120        |   |
| Water protection       | IPX4         |   |
| Made in                | ITALY        |   |
| <b>Price in Euro</b>   | <b>69,70</b> |   |

| HAIR DRYER ELEPHON     | 320TR        |   |
|------------------------|--------------|---|
| Dimensions in mm       | 265x92x105   |   |
| Hose lenght in Cm      | 45 ÷150      |   |
| Weight                 | 1,2 Kg       |   |
| Power supply           | 230V ~ 50Hz  |   |
| Total Consumption      | 700W         |   |
| Air speed in m/s       | 20           |   |
| Air capacity m3/hr     | 50           |   |
| Material               | ABS          |   |
| Insulating class       | II           |   |
| Master Box / Pallet q. | 6/150        |   |
| Water protection       | IPX4         |   |
| Made in                | ITALY        |   |
| <b>Price in Euro</b>   | <b>60,00</b> |   |

| HAIR DRYER COBRAVO     | 359W         |   |
|------------------------|--------------|---|
| Dimensions in mm       | 225x120x112  |   |
| Hose lenght in Cm      | 45 ÷150      |   |
| Weight                 | 1,15 Kg      |   |
| Power supply           | 230V ~ 50Hz  |   |
| Total Consumption      | 900W         |   |
| Air speed in m/s       | 6            |   |
| Air capacity m3/hr     | 50           |   |
| Material               | ABS          |   |
| Insulating class       | II           |   |
| Master Box / Pallet q. | 6/150        |   |
| Water protection       | IPX4         |   |
| Made in                | P.R.C.       |   |
| <b>Price in Euro</b>   | <b>60,00</b> |   |

| HAIR DRYER             | 379          |  |
|------------------------|--------------|--|
| Dimensions in mm       | 225x103x110  | <br> |
| Weight                 | 0,5Kg        |  |
| Power supply           | 230V ~ 50Hz  |  |
| Total Consumption      | 1200W        |  |
| Air speed in m/s       | 12           |  |
| Air capacity m3/hr     | 68           |  |
| Material               | ABS          |  |
| Insulating class       | II           |  |
| Master Box / Pallet q. | 6/360        |  |
| Water protection       | -            |  |
| Made in                | P.R.C.       |  |
| <b>Price in Euro</b>   | <b>22,10</b> |  |

| HAIR DRYER           | 721          |   |
|----------------------|--------------|---|
| Dimensions in mm     | 182x254x145  | <br> |
| Weight               | 2,2 Kg       |   |
| Power supply         | 230V ~ 50Hz  |   |
| Total Consumption    | 800W         |   |
| Air speed in m/s     | 10           |   |
| Air capacity m3/hr   | 54           |   |
| Material             | ABS          |   |
| Insulating class     | II           |   |
| Hose Length          | 50±150       |   |
| Water protection     | -            |   |
| Made in              | P.R.C.       |   |
| <b>Price in Euro</b> | <b>60,00</b> |   |

| HAIR DRYER             | 720          |  |
|------------------------|--------------|--|
| Dimensions in mm       | 180x90x170   | <br> |
| Weight                 | 0,5Kg        |  |
| Power supply           | 230V ~ 50Hz  |  |
| Total Consumption      | 1200W        |  |
| Air speed in m/s       | >12          |  |
| Air capacity m3/hr     | 85           |  |
| Material               | ABS          |  |
| Insulating class       | II           |  |
| Master Box / Pallet q. | 6/150        |  |
| Water protection       | -            |  |
| Made in                | P.R.C.       |  |
| <b>Price in Euro</b>   | <b>43,10</b> |  |

| SPARE PARTS |  |                   |
|-------------|--|-------------------|
| 000513      | Handle for models 320TR and 329TR            | <b>Euro 2,40</b>  |
| 002676      | Still pet tube 32W for models 329TR and 359W | <b>Euro 12,90</b> |
| 002442      | Support ring for models 329TR and 359W       | <b>Euro 1,30</b>  |
| 002497      | Handle for models 320TC and 322TC            | <b>Euro 3,80</b>  |



**MO-EL S.r.l.**  
Via Galvani, 18 - 42027 Montecchio Emilia (Re) - ITALY  
Tel. +39 0522.868011 Fax +39 0522.864223  
P. IVA 00707440350 - [www.mo-el.com](http://www.mo-el.com)

The manufacturer reserves the right to modify products' features without prior notice.  
Technical data written in this leaflet are based on indicative parameters.